Utah Department of Environmental Quality Division of Drinking Water

Monitoring Schedule

Run Date: 08/04/2011 12:43 pm

PWS ID: UTAH23006 Name: OPHIR CANYON WATER ASSOCATION

Legal Contact OPHIR Rating: Approved

JOE ALLEN BRANDON Rating Date: 09/07/1979

STOCKTON, UT 84071

STOCKTON, UT 8407

City Served (Area):

County: TOOELE COUNTY

Address: PO BOX 339

Phone Number: 435-882-0603

Gal/Day Gal/Min

Activity Status: Active

System Type: Community

Last Inv Update: 09/21/2010

Activity Status Cd: Active

Last Snty Srv Dt: 07/16/2010

Total Dsgn Cap:

Population: 80

Surveyor: DAVID F HANSEN

Total Emerg Cap:

Oper Period: 1/1 to 12/31

Total Coliform Rule Monitoring

Sample	Sample	Sample	Effective	Effective	Seasonal	Seasonal	
Count	Type	Frequency	Begin Date	End Date	Start	End	Analyte Name
1	Routine	Monthly	08/01/2008		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility □□IIFacility Name Analyte Name			Sample Count	· · · · · · · · · · · · · · · · · · ·		Last Sample	Next Sample Between
Ī	DS001	UTAH23006 DISTRIBUTION SYSTEM		Activity Sta	atus: A Samp	le Label: UTAH2300	6 DS001
		Lead & Copper	5	Routine	3 Years	2009	06/01-09/30 2012

SS149	GROUP SOURCE SAMPLING STATION SS149		Activity Sta	tus: A	Sample Label: UTAH23006 SS149 SS149
	RADIUM-228	2	Routine	Year	04/06/2010 10/01/2008-09/30/2009
	ASBESTOS	1	Routine	9Y	04/17/2008 01/01/2011-12/31/2019
	NITRATE	1	Routine	Year	02/16/2010 01/01/2011-12/31/2011
	Inorg & Metals	1	Routine	9 Years	s 04/17/2008 01/01/2011-12/31/2019
	Sodium,Sulfate,TDS	1	Routine	9 Years	s 04/17/2008 01/01/2011-12/31/2019
	Volatile Organics	1	Routine	6 Years	s 04/17/2008 01/01/2014-12/31/2019

Sources Grouped for Sampling Compliance

Source Group ID: UTAH SAMPLING STATION SS149

Sources in Group

WS001 MARTIN SPRING
WS002 TUBBS SPRING
UTAH23006 OPHIR CANYON WATER ASSOCATION

Page 1 of 1 08/04/2011